

22565 (2)

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: <b>G06F 7/10</b>	<b>A1</b>	(11) International Publication Number: <b>WO 97/27534</b>
		(43) International Publication Date: 31 July 1997 (31.07.97)

(21) International Application Number: PCT/US97/01082

(22) International Filing Date: 24 January 1997 (24.01.97)

(30) Priority Data:  
08/590,929 24 January 1996 (24.01.96) US

(71) Applicant: COMPUSEIVE INCORPORATED [US/US]; 5000  
Arlington Centre Boulevard, Columbus, OH 43220 (US).


(72) Inventors: CARPENTER, Kevin, D.; 1443 Fahlander Drive  
N., Columbus, OH 43229 (US). CROSETT, Alexander,  
D., III; 6231 Inverurie Drive W., Dublin, OH 43017  
(US). KAUFFMAN, Scott, L.; 1960 Cambridge Boulevard,  
Columbus, OH 43221 (US). VANCE, Robert, B., Jr.; 8925  
Shrockton Street, Powell, OH 43065 (US). WYLIE, Susan,  
D.; 71 W. Campusview Boulevard, Columbus, OH 43231  
(US). YEAUGER, Gary, A.; 5840 Scenic Edge Boulevard,  
Dublin, OH 43017 (US).

(74) Agent: STANDLEY, Jeffrey, S.; Standley & Gilcrest, Suite  
500, 555 Metro Place North, Dublin, OH 43017 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR,  
BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE,  
HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS,  
LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL,  
PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA,  
UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG),  
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB,  
GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ,  
CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published  
With international search report.

(54) Title: SYSTEM FOR NAVIGATING AN INFORMATION SERVICE



BEST AVAILABLE COPY

(57) Abstract

A system for navigating an online information system is disclosed. Subscribers provide topic (42) and action (34) preferences to traverse to a customized content area (38, 54) in which related tasks may be completed. Customized content areas are reached after subscribers make three or fewer selections. Paths to customized content areas (40, 44, 48) are similar for all combinations of topics and actions so subscribers learn quickly how to navigate to any area of the information service.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LJ	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

SYSTEM FOR NAVIGATING AN INFORMATION SERVICE  
BACKGROUND AND SUMMARY OF THE INVENTION

5           The present invention relates generally to computer navigation. Particularly, the present invention in its preferred embodiment relates to a navigation system for a computer information service.

          Online information services today offer a variety of services to their subscribers. For example, subscribers of the CompuServe® Information Service may retrieve information from  
10   a repository maintained by the service or possibly, by a third party provider. In addition, CompuServe subscribers may communicate with other subscribers. Communications may occur in real time as subscribers initiate and join ongoing "chat" sessions managed by the information service. CompuServe subscribers may also communicate directly with one another as well as with non-members via electronic mail (email.) Special interest forums  
15   within CompuServe also provide opportunities for subscribers to communicate with one another. Internet and World Wide Web access provides CompuServe subscribers with additional information sources to search and another community of computer users with which to communicate. Finally, CompuServe subscribers may perform specialized tasks such as shopping and banking online. In many instances, to perform these tasks, subscribers  
20   communicate with a computer system designed and maintained by a third party provider. For subscribers, CompuServe is a conduit for completing these tasks.

          In order to attract and keep new subscribers, online information services have attempted to increase the amount of available information, expand communication facilities, and provide additional support for performing specialized tasks online. Increasingly, computer  
25   information services are becoming dependent upon third party providers to help them expand and grow because the costs of developing and providing specialized services internally may be

too great. Many third party providers, however, are reluctant to make their products and services available through only one computer information service. The third party information and service providers (for example, merchants who offer their products online) would like potential customers to have a number of choices that facilitate access to their online offerings.

5 Consequently, computer information services may have fewer opportunities to offer unique information and services because third party providers want to make their products and services available to computer users directly, through several computer information services, or through the Internet. As information services offer increasingly overlapping information and services, subscribers may experience difficulties discerning the differences between them.

10 In addition to noticing similarities regarding information content and types of services, today's computer information service subscribers may notice similarities in the user interfaces (or means by which subscribers communicate or interact with the information service.) Online information services today generally take advantage of graphical user interface technology in designing and implementing a user interface that allows subscribers to access the service. In  
15 general, graphical user interfaces allow computer users to perform tasks using windows that serve as workspace within a program.

The computer screen on which windows appear and disappear is often referred to as a "desktop." Windows that appear on the desktop are typically rectangular work areas containing a number of components or screen objects with which a user may interact. The  
20 components or screen objects are pictorial representations of recognizable items and are often referred to generally as icons. For example, a window may contain icons that look like buttons the user may "push." Typically, a screen cursor or pointer, usually displayed as a small arrow, allows the computer user to point at and select individual items appearing on the screen. The screen cursor or pointer moves around the screen in response to a pointing device

(e.g., a mouse, trackball, finger) operated by the user. So that a user may select or "click on" an item appearing on the screen, pointing devices usually include a switch (e.g., a mouse button) that the user operates or "clicks" to notify the computer that a choice has been made. Some windows may contain items that must be "double-clicked" with two clicks of the mouse button to be selected. Other items may require the use of either a "right" mouse button or a "left" mouse button to make a selection.

Windows may also contain menus with grouped or categorized commands and options that the user may "select." Menu items are typically displayed in a menu bar that appears at the top of a window or workspace. When a menu is selected, typically, another menu called a "pull-down" menu appears. The second or submenu may include a number of additional items such as a specific action or another menu.

A graphical user interface enables a subscriber to interact with a computer information service by operating a computer mouse or trackball to select pictorial representations of information items or tasks. For example, a subscriber may select a "Shopping" button to enter an online shopping mall or a "Home/Leisure" button to locate information about a favorite hobby. Alternatively, a subscriber may select a menu item or series of items to accomplish a specific task. For example, a subscriber may select the menu item "Read mail" in order to read any new email messages. In general, combinations of buttons and menu items are presented to subscribers to assist them in "navigating" to a particular area or destination. Subscribers navigate to an area of the information service in which they may accomplish a specific goal such as locating needed information or performing a desired task.

Although the advent of the graphical user interface has made computers easier to use, subscribers often experience difficulties navigating computer information services because the user interface for communicating with the service is not intuitive. Subscribers who do not

have specific goals in mind may find casually browsing the service to be difficult. For example, icons with similar visual characteristics may be used to represent broad categories of information (for example, Entertainment and Home/Leisure) or activities (for example, Shopping and Internet.) Even if subscribers find an item they would like to select, they may  
5 have trouble making the selection. Subscribers must remember whether they should single-click, double-click, right-button click, or left-button click to make the selection. The variety of operations for making selections may confuse users more than it helps them.

In some instances, users may be required to select menu items to perform specific tasks or activities (for example, Create Mail.) In fact, many services today use a "menu tree" for  
10 organizing information. Each item on a menu may be viewed as a branch to another menu so that conceptually, the system of menus and branches looks like a tree. As information and services are added, the tree becomes more complex. The use of menus to accomplish tasks requires that subscribers know prior to selecting the item where it is located. If subscribers do not know the location of a particular item, they are forced to search through all the menus,  
15 possibly at a number of levels, in order to locate the desired item.

Navigating an information service may be difficult even for subscribers who know what they want to do. Subscribers who know what they want to do need to locate the areas where they may accomplish their goals. The areas may be difficult to find because they require subscribers to enter long series of mouse clicks and menu selections. Subscribers may become  
20 lost when they make a wrong selection. A large number of clicks and menu selections may be necessary even if subscribers make correct choices along the way. Furthermore, in windowed environments, multiple selections often result in layered windows on subscribers' desktops making it even more confusing for them to determine whether they are in a location in which a specific task may be accomplished.

The lack of consistency and uniformity in the use of visually similar icons as well as in the use of menu items for some actions may leave subscribers confused, albeit unconsciously. Subscribers may be required to use a lengthy combination of button and menu selections in order to perform a particular task. Furthermore, different combinations of selections may be  
5 required to accomplish goals that, from the perspective of subscribers, are similar. Consequently, for many subscribers, the complexity in navigating computer information services derives not from the vastness of available information and services, but from the complexity of the environment in which tasks are completed.

Subscribers to computer information services today have a need for an improved  
10 method of navigation. The present invention overcomes the problems and disadvantages of current navigational methods by introducing consistency and uniformity in the computer information service user interface. The navigational method of the present invention is based on a model of computer/user interaction in which users are graphically prompted for a topic of interest, a subtopic of interest, and an associated action. Subscribers may make their  
15 selections in one of several orders. Once the three selections have been made, the information system assists subscribers by presenting customized content areas in which their specific goals may be accomplished. The advantages of the present invention will be apparent from the following detailed description and accompanying claims.

#### BRIEF DESCRIPTION OF THE DRAWINGS

20 Figure 1 is a flow diagram of the navigational paths subscribers may take to reach a customized content area;

Figure 2 is a screen shot of a preferred embodiment for a Home screen in accordance with the present invention;

Figure 3 is a screen shot of a preferred embodiment for a topics/actions screen in accordance with the present invention;

Figure 4 is a screen shot of a preferred embodiment for a subtopic screen in accordance with the present invention;

5 Figure 5 is a screen shot of a preferred embodiment for an action screen in accordance with the present invention;

Figure 6 is a screen shot of a preferred embodiment for a topic screen in accordance with the present invention;

10 Figure 7 is a screen shot of a preferred embodiment for a topic/subtopic screen in accordance with the present invention;

Figure 8 is a diagram illustrating the concept of the topic/subtopic/action paradigm of the present invention;

Figure 9 is a screen shot of a preferred embodiment for an Easy Navigator screen tailored to children; and

15 Figure 10 is a block diagram of a computer system in which the present invention is embodied.



### DETAIL DESCRIPTION OF PREFERRED EMBODIMENT(S)

The present invention, CompuServe's Easy Navigator User Interface (hereinafter referred to as Easy Navigator), provides a method of navigation that allows subscribers to a computer information service to communicate their needs quickly and efficiently so the information service may assist them in accomplishing their goals. Using the present invention, subscribers are, preferably, never more than three (3) selections—based on a topic, subtopic, and action—away from a customized content area in which their specific goals may be accomplished. Preferably, the three selections may be made in one of several ways. With the exception of being tailored according to subscribers' first three selections, all customized content areas have similar appearances and behavioral characteristics. Once at the customized content area, subscribers may need to perform additional tasks or provide additional information, but, preferably, the paths subscribers may take to reach the customized content area are the same for all combinations of topic, subtopic, and action. Furthermore, depending on the task, subscribers may, after only one or two selections, reach areas in which their goals may be accomplished.

Preferably, all controls in the Easy Navigator user interface are push buttons. Some buttons are graphic-filled objects and some are simple round, rounded square, or rectangular buttons labeled with text. Navigation using Easy Navigator is accomplished, preferably, using single clicks of a mouse button. Furthermore, right button, left button, and multiple clicks may all be used to make a single selection so subscribers are never left wondering whether a single click, a double click, a right button click, or a left button click is needed.

Figure 1 is a top-level flow diagram illustrating the navigational concepts of Easy Navigator. As shown in Figure 1, subscribers using Easy Navigator to navigate an information service, preferably, start at the Easy Navigator Home screen. The Home screen welcomes

subscribers at startup. It also functions as a departure point and "home base" for navigating the information service. The Home screen provides immediate access to the major functional areas. From the Home screen, subscribers may:

- access mail to read personal communications (Mail) 10;
- 5       • access the news center to read news stories related to specified topics (News) 12;
- traverse to bookmarked locations (Places) 14;
- access the main menu to locate a customized content area (Main Menu) 16;
- access a filing cabinet containing stored information (Storage) 18;
- access modem and session settings (Settings) 20; or
- 10       • exit Easy Navigator and return to the desktop (Quit) 22.

Referring now to Figure 2, a representation of a preferred embodiment for the Easy Navigator Home screen is shown 60. The Home screen 60 presents options for the tasks that subscribers are most likely to want to perform as described in Figure 1—learning about new  
15 features of the service (What's News) 62, reading email (My Mail) 64, reading news (My News) 66, traversing to bookmarked locations (My Places) 68, or traversing to the topics/actions screen (Easy Navigator Main Menu) 70 to locate a customized content area. In addition, subscribers are given options to access a filing cabinet (Storage) 72, to access modem/user session settings (Settings) 74, or to exit Easy Navigator to return to the desktop  
20 (Quit) 76. Preferably, on all subsequent screens, subscribers are given the option of returning to this Home screen by selecting a "Home" button.

Navigation to a customized content area of the information service begins with selection of the Main Menu option 70 of the Easy Navigator Home screen. Referring again to Figure 1, selection of the Main Menu option 24, preferably, results in the display of a screen

comprised of topics and actions (Easy Navigator Main Menu) 26. At the topics/actions screen (Easy Navigator Main Menu) 26, subscribers have the option of selecting a topic 28 or an action 40—the first choice in the series of three or fewer choices needed to navigate to a customized content area.

5 Referring now to Figure 3, a preferred embodiment of the Easy Navigator Main Menu (topics/actions screen) is shown. Subscribers may choose one of the four (4) topics as represented by the Category Cards 84 Entertainment 98, Living 100, Sports 102, Money 104 or one of six (6) actions as represented by the Tokens 82 Chat 86, Reference 88, Messaging 90, News 96, Internet 94, or Shopping 92. As shown in Figure 3, topic options (Category  
10 Cards) 84 are clearly identifiable and are given display characteristics that distinguish them from the action options (Tokens) 82. Action options (Tokens) 82 are represented as round buttons at the bottom of the Main Menu screen while topics (Category Cards) 84 are large rectangular areas. In addition, actions (Tokens) 82 appear in one row while topics (Category Cards) 84 are organized in a separate row. Finally, each action option (Token) 82 is assigned  
15 a distinctive color. The visual cues used in Easy Navigator screens help subscribers to quickly differentiate between topics and actions so that they are more likely to make meaningful choices that lead them to the desired customized content areas. Preferably, the topics/action screen (Easy Navigator Main Menu) has a System Toolbar 80 for performing specific tasks.

Referring again to Figure 1, if subscribers first choose a topic (Category Card) 28 from  
20 the topics/actions screen (Easy Navigator Main Menu) 26, they traverse to the subtopic screen (Easy Navigator Category with Communities) 30. The subtopic screen 30 is comprised of additional topics relating to the selected topic (Category Card) 28. Preferably, the number of subtopics from which subscribers may choose is ten (10) or fewer.

Referring now to Figure 4, a preferred embodiment of a subtopic screen (Category with Communities) 120 for the topic (Category Card) "money" is shown. Representative subtopics (Communities) for the money topic (Category Card) include "real estate" and "computers" 122. Following selection of a subtopic (Community within a Category), only  
5 selection of an action is needed to traverse to a customized content area.

Referring again to Figure 1, after choosing a subtopic (Community within a Category) 32 (second choice), subscribers preferably traverse to an action screen (Easy Navigator Community Area) 34 that contains the six actions from the topics/actions screen (Easy Navigator Main Menu) 26. Because at this point, subscribers have specified a topic (first  
10 choice) 28 and a subtopic (second choice) 32, only an action (third choice) 36 is needed to traverse to a customized content area (Easy Navigator Community Specific Center) 38 in which topic/subtopic related tasks may be completed.

Referring now to Figure 5, a preferred embodiment of an action screen (Easy Navigator Community Area) 34 for a particular topic (money) and subtopic (budgeting) 130  
15 combination is shown. From this screen, subscribers may select one of a number of actions (Tokens - Chat, Reference, Messaging, News, Internet, or Shopping) 132 relating to the topic (Category Card) and subtopic (Community within a Category.) Choice of an action 132 from the action screen (Easy Navigator Community Area) 130 takes subscribers to a customized content area (Easy Navigator Community Specific Center) in which specific tasks may be  
20 accomplished. The customized content area may be viewed as a "Community Specific Center" because the tasks that may be performed relate to the specified topic (Category Card), subtopic (Community within a Category), and action. In addition to the six action options (Tokens) 132, subscribers may also read news relating to the community 134 or read a welcome message 136.

Referring again to Figure 1, subscribers may take another path to reach a customized content area from the topics/actions screen (Easy Navigator Main Menu) 26. Following selection of an action 40, subscribers traverse to a topic screen (Easy Navigator Center) 42. At the topic screen (Easy Navigator Center) 42, subscribers have the option of traversing 44 to a topic/subtopic screen (Easy Navigator Categories with Communities) 46 in order to specify a topic/subtopic pair (Category/Community combination) 48 or traversing 50 to an area in which a search may be performed 52 to find information of interest 54. The ability to search is, in effect, another method for specifying a topic.

Referring to Figure 6, a preferred embodiment of a topic screen (Easy Navigator Center) 150 is shown. Once at a topic screen, preferably, subscribers may traverse, by selecting the "Categories" button 154, to a topic/subtopic screen (Easy Navigator Categories with Communities) to select a topic/subtopic pair (Category/Community combination). Alternatively, they may traverse, by selecting the "Search" button 156, to an area in which a search may be performed to further locate an area relating to the specified action and search criteria. The customized content area to which subscribers traverse following a search is referred to as an Easy Navigator General Center. Figure 7 is a preferred embodiment of a topic/subtopic screen (Easy Navigator Categories with Communities) 160 displayed when subscribers specify the "Categories" option on a topic screen (Easy Navigator Center). As shown in Figure 7, subtopics 164, preferably, are arranged under topics 162 so that a single selection results in the specification of a topic/subtopic pair. For example, selection of the subtopic "Books" 166 results in the specification of the Entertainment (topic)/Books (subtopic) pair.

Referring again to Figure 1, as may be apparent, subscribers may take one of several paths to reach a customized content area 38. Subscribers may provide a topic 28, subtopic 32,

and action 36 or they may provide an action 40 and topic/subtopic pair 48 to reach an Easy Navigator Community Specific Center 38. In addition, subscribers may perform a search 52 within the context of a selected action 40 in order to traverse to an Easy Navigator General Center 54 meeting the specified criteria. Using the search method, subscribers navigate to a customized content area 54 with fewer than three selections. Although subscribers have more than one option for traversing to a customized content area 38, 54, preferably, the available paths are not so numerous that subscribers become confused as they traverse to a customized content area.

Another feature of every Easy Navigator screen (except the Home screen) is the System Toolbar. The System Toolbar provides a core set of options related to basic tasks. These tasks may be performed at any time, regardless of subscribers' locations. Referring again to Figure 3, the options for the System Toolbar 80 include: return to the Home screen (Home) 106, access the mail center (Mail) 108, access online help (Help) 110, add the present site to the places list (Add or Bookmark) 112, and quit Easy Navigator (Quit) 114. The System Toolbar allows subscribers to feel safe exploring the information system because they know they may return to the Home screen, get help, or quit Easy Navigator at any time. In addition to the convenience it provides to subscribers, the System Toolbar 80 reduces the likelihood that subscribers will become "lost" when navigating the information service because subscribers may return to the home base at any time.

As subscribers navigate the information service, Easy Navigator maintains appearance and behavior distinctions between topic, subtopic, and action screens. At the same time, Easy Navigator gives objects (buttons) that subscribers expect to appear and behave similarly the same set of familiar features so that subscribers can recognize them easily. For example, tokens may be color-coded so that subscribers recognize quickly what actions may be

performed at a particular location based on the colors of the buttons. In one embodiment, subscribers may learn quickly that the "Reference" token is always orange. Screens appear one at a time to reduce the confusion that may result when subscribers are presented with multiple, layered windows. The simplicity and consistency in screens and methods of  
5 interaction allows subscribers to navigate the information service easily and quickly.

In the preferred embodiment in which subscribers are given four topics, ten subtopics, and six actions from which to choose, subscribers are able to reach one of 240 customized content areas in three selections. Conceptually, the combination of topics, subtopics, and actions may be viewed as a three dimensional grid as shown in Figure 8. The topics (170) may  
10 be represented by the rows T1, T2, T3, and T4 (172). The subtopics (174) may be represented by the levels, S1, S2, ... S10 (176). Finally, the actions 178 may be represented by the columns A1, A2, A3, A4, A5, and A6 (180). Each point in the grid thus represents the intersection of a topic, a subtopic, and an action—in other words, a customized content area. For example, if topic T2 is "Money," subtopic S2 is "Budgeting," and action A4 is "Chat,"  
15 then the intersection of the selections—T2, S2, A4 (182)—represents the customized content area relating to chat sessions about budgeting. Although the grid is transparent to subscribers, navigation through the information service actually involves movement between points on the grid where each point represents the intersection of a topic, a subtopic, and an action. The various combinations of topic, subtopic, and action may be viewed as the paths that  
20 subscribers traverse to reach customized content areas. The grid allows subscribers to maintain a context for what they are doing even though they never know a grid is in place.

The ability to traverse in three selections to a customized content area in which topic related tasks may be performed is unique to the present invention. Although the 240 areas may vary significantly from one another in relation to content, the paths that subscribers

traverse to reach the content areas are very similar. Subsequent options presented to subscribers are based on previous selections so that subscribers are given visible and clear indications of what can and cannot be done at any given time. The tailoring of options based on previous selections also reduces the likelihood of subscriber errors in navigating the information service. Finally, the customized content areas have similar display and behavioral characteristics (e.g., sizing, positioning, color-coding of buttons) so that subscribers may perform similar types of tasks within each customized content area. Consequently, Easy Navigator is appropriate for subscribers who know exactly what they want to do and subscribers who have no idea what they want to do. Easy Navigator quickly determines what subscribers—whether experienced or novice—want to do and the information service responds by locating a content area in which subscribers may complete the desired tasks.

Novice subscribers who benefit from the approach of Easy Navigator may include children. As shown in Figure 9, Easy Navigator screens may be tailored to children. The conceptual model employed to develop screens for adults—the grid—may also be used to develop screens for children. Using Easy Navigator, only three selections are needed to traverse to a customized content area so that both children and adults are able to navigate an information system easily and effectively.

Figure 10 is a computer system block diagram that illustrates use of the present invention to communicate with an information service. The information service may be viewed as a wide area network 104—with a communication link to the Internet 110—consisting of node computers 106 that manage network traffic and host computers 108 with which subscribers connect in order to take advantage of the services offered. Preferably, the present invention is embodied in an application program running on a subscriber's computer 100. The subscriber's computer 100 establishes a connection 102 to a host computer 108



through a network node computer 106 using, for example, a modem or a cable. The network node 106 routes communications between the subscriber's computer and the information service host computer that provides the needed functionality. Host computers assist subscribers in completing tasks such as retrieving information and sending messages to other subscribers.

Preferably, communications between the subscriber's computer and the host computer are based on application-level protocols. Application-specific protocols carry out data transactions between the subscriber's computer and a host computer. Information between the subscriber's computer and host computer is exchanged in binary transaction packets known as protocol data unit packets. The packets describe, in a succinct and structured format, both data and information about how it may be used by the application. Based on the subscriber's responses when using Easy Navigator, the subscriber's computer creates request packets formatted according to the requirements of the protocol and transmits them to the host computer. The host computer then transmits structured return packets that Easy Navigator understands. The primary benefit of using a transaction-oriented application-level protocol to communicate with the information service is that the user interface embodied in the application program on the subscriber's computer may change and evolve with minimal impact on the host computer application. Many communication protocols such as those currently in use on the Internet may work as well to accomplish the objectives of the present invention.

The present invention has been described in detail with reference to a single, preferred embodiment. Different numbers of topics, subtopics, and actions may be used in an alternative embodiment and still fall within the scope of the present invention. In addition, different categories for topics and subtopics as well as different actions may be used and still fall within

the scope of the present invention. Finally, topics, subtopics, and actions may be merged in a presentation so that subscribers are required to make only a single selection to reach customized content areas.

The challenge of continued expansion and growth for computer information services  
5 rests in the ability of subscribers to accomplish specific goals such as locating needed  
information and performing desired tasks. As computer information services evolve, the value  
of information and related services depends increasingly on the quality of the subscriber  
interaction with the service as well as the ability of the service to deliver utility to subscribers.  
Subscribers need the ability to locate and retrieve easily items that are of value and use to  
10 them. The present invention improves the quality of subscriber interaction by providing a  
method of navigation that allows subscribers to quickly communicate their needs so the  
information service may assist them accomplishing their goals.

**WHAT IS CLAIMED IS:**

1. A method for a subscriber to navigate a computer information service, comprising the steps of:

providing a computer application program for prompting said subscriber and  
5 determining said subscriber's responses;

prompting said subscriber to select one of a plurality of topics;

determining said subscriber's response to said topic prompt;

prompting said subscriber to select one of a plurality of subtopics;

determining said subscriber's response to said subtopic prompt;

10 prompting said subscriber to select one of a plurality of actions;

determining said subscriber's response to said action prompt;

transmitting information service content based on said subscriber's responses to  
said topic prompt, said subtopic prompt, and said action prompt to said computer  
application program, said transmission performed by a host computer; and

15 presenting said information service content to said subscriber.

2. The method of Claim 1, wherein prompting said subscriber of an action occurs before  
prompting said subscriber for a topic.

3. The method of Claim 1, wherein prompting said subscriber for a topic occurs before  
prompting said subscriber for an action.

- 20 4. The method of Claim 1, wherein said subscriber is prompted to select a topic and  
subtopic pair.

5. The method of Claim 1, wherein said subscriber is prompted for topic, subtopic, and  
action responses using icons that represent said topics, said subtopics, and said actions.

6. The method of Claim 1, wherein display characteristics of said topic icons or said  
25 subtopic icons are distinguishable from said action icons.

7. The method of Claim 1, wherein said subscriber may select one of four topics, one of ten subtopics, and one of six actions.
8. The method of Claim 1, wherein said subscriber is prompted for additional information based on said subscriber's previous response.
- 5 9. The method of Claim 5, wherein said icons may be selected using a single operation.
10. An online information service navigation system, comprising:
  - a graphical user interface on a subscriber's computer for prompting a subscriber for a topic response, a subtopic response, and an action response;
  - a connection between said subscriber's computer and a host computer that is
  - 10 part of said online information service for transmitting and receiving packets;
  - at least one request packet for communicating said subscriber's topic response, subtopic response, and action response to said host computer, said request packet assembled and transmitted to said host computer by said subscriber's computer; and
  - at least one return packet assembled by said host computer including content
  - 15 based on said at least one request packet, said return packet assembled and transmitted to said subscriber's computer by said host computer.
11. The system of Claim 10, wherein said topic response, said subtopic response, and said action response are represented by icons.
12. The system of Claim 11, wherein said icons may be selected using a single operation.
- 20 13. The system of Claim 11, wherein said topic and said subtopic icons are distinguishable from said action icons.

14. A computer information service navigation system, comprising:

a plurality of content areas, each of said content areas related to a topic, a subtopic, and an action;

a selected topic, subtopic, and action;

a content area based on said selected topic, subtopic, and action; and

a display for presenting said content area to a computer user.

15. The system of Claim 14, wherein one of four topics, one of ten subtopics, and one of six actions may be selected.

16. The system of Claim 14, wherein said topic, said subtopic, and said action are represented by icons.

17. The system of Claim 16, wherein said icons may be selected using a single operation.

18. The system of Claim 14, wherein said content areas have similar appearances and behavioral characteristics.

19. A system for navigating a computer information service, comprising:

a plurality of content areas;

a plurality of paths of equal length for traversing to said content areas;

a plurality of icons for traversing one of said plurality of paths;

means for selecting icons associated with one of said plurality of paths; and

a display for presenting one of said plurality of content areas based on said icon selections.

20. The system of Claim 19, wherein said plurality of content areas have similar appearance and behavioral characteristics.

21. The system of Claim 19, wherein said icons represent topics, subtopics, and actions.

22. The system of Claim 19, wherein said icons may be selected in one of several orders.

23. The system of Claim 19, wherein said paths are of length three or less.

24. A product for enabling users to access sites on a computer network, said product comprising:

5 a first entry selection point, including a navigational grid containing a plurality of rows and columns, wherein said rows define a first set of entry options and said columns define a second set of entry options;

means for selecting one of said set of first entry options or one of said set of second entry options on said first entry selection point; and

10 means for selecting one of said set of first entry options if one of said set of second entry options has been previously selected, or for selecting one of said set of second entry options if one of said set of first entry options has been previously selected on said first entry selection point.

25. The product of Claim 24, wherein said navigational grid is transparent to said user.

15 26. The product of Claim 24, further comprising a second selection point, said second selection point including a plurality of third options, said third options having a dependent relationship to one of said first or second entry options.

27. The product of Claim 24, wherein said first set of entry options and said second set of entry options are presented to said user in a single presentation format.




Figure 1




Figure 2






Figure 3




Figure 4



Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10



## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US97/01082

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :G06F 7/10

US CL :395/827, 601

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 395/827, 600, 601

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X, P	US 5,544,354 A (MAY ET AL) 06 August 1996, see abstract; column 5, lines 25-57; column 7, line 26 - column 8, line 3; column 8, lines 4-29; column 9, lines 29-49; column 10, lines 8-44; column 11, lines 3-67; column 20, lines 11-45; column 23, line 39 - column 24, line 21; column 25, lines 12-33.	1-27
Y	US 5,297,253 A (MEISEL) 22 March 1994, see abstract; column 4, line 5 - column 6, line 40.	1-27
Y	US 5,479,601 A (MATHENY ET AL) 26 December 1995, see abstract; fig. 13; column 1, line 35 - column 2, line 15.	1-27

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

\* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\*

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\*

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\*

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

\*Z\*

document member of the same patent family

Date of the actual completion of the international search

14 APRIL 1997

Date of mailing of the international search report

14 MAY 1997

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

THOMAS LEE


Telephone No. (703) 305-9717



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>G06F 7/10</b>		<b>A1</b>	(11) International Publication Number: <b>WO 97/27534</b>
			(43) International Publication Date: 31 July 1997 (31.07.97)
(21) International Application Number: <b>PCT/US97/01082</b>		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 24 January 1997 (24.01.97)		<p><b>Published</b> With international search report.</p>	
(30) Priority Data: 08/590,929 24 January 1996 (24.01.96) US			
(71) Applicant: COMPUSERVE INCORPORATED {US/US}; 5000 Arlington Centre Boulevard, Columbus, OH 43220 (US).			
(72) Inventors: CARPENTER, Kevin, D.; 1443 Fahlander Drive N., Columbus, OH 43229 (US). CROSETT, Alexander, D., III; 6231 Inverurie Drive W., Dublin, OH 43017 (US). KAUFFMAN, Scott, L.; 1960 Cambridge Boulevard, Columbus, OH 43221 (US). VANCE, Robert, B., Jr.; 8925 Shrockton Street, Powell, OH 43065 (US). WYLIE, Susan, D.; 71 W. Campusview Boulevard, Columbus, OH 43231 (US). YEAUGER, Gary, A.; 5840 Scenic Edge Boulevard, Dublin, OH 43017 (US).			
(74) Agent: STANDLEY, Jeffrey, S.; Standley & Gilcrest, Suite 500, 555 Metro Place North, Dublin, OH 43017 (US).			

(54) Title: SYSTEM FOR NAVIGATING AN INFORMATION SERVICE



(57) Abstract

A system for navigating an online information system is disclosed. Subscribers provide topic (42) and action (34) preferences to traverse to a customized content area (38, 54) in which related tasks may be completed. Customized content areas are reached after subscribers make three or fewer selections. Paths to customized content areas (40, 44, 48) are similar for all combinations of topics and actions so subscribers learn quickly how to navigate to any area of the information service.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

SYSTEM FOR NAVIGATING AN INFORMATION SERVICE  
BACKGROUND AND SUMMARY OF THE INVENTION

5       The present invention relates generally to computer navigation. Particularly, the present invention in its preferred embodiment relates to a navigation system for a computer information service.

Online information services today offer a variety of services to their subscribers. For example, subscribers of the CompuServe® Information Service may retrieve information from  
10   a repository maintained by the service or possibly, by a third party provider. In addition, CompuServe subscribers may communicate with other subscribers. Communications may occur in real time as subscribers initiate and join ongoing "chat" sessions managed by the information service. CompuServe subscribers may also communicate directly with one another as well as with non-members via electronic mail (email.) Special interest forums  
15   within CompuServe also provide opportunities for subscribers to communicate with one another. Internet and World Wide Web access provides CompuServe subscribers with additional information sources to search and another community of computer users with which to communicate. Finally, CompuServe subscribers may perform specialized tasks such as shopping and banking online. In many instances, to perform these tasks, subscribers  
20   communicate with a computer system designed and maintained by a third party provider. For subscribers, CompuServe is a conduit for completing these tasks.

In order to attract and keep new subscribers, online information services have attempted to increase the amount of available information, expand communication facilities, and provide additional support for performing specialized tasks online. Increasingly, computer  
25   information services are becoming dependent upon third party providers to help them expand and grow because the costs of developing and providing specialized services internally may be

too great. Many third party providers, however, are reluctant to make their products and services available through only one computer information service. The third party information and service providers (for example, merchants who offer their products online) would like potential customers to have a number of choices that facilitate access to their online offerings.

5 Consequently, computer information services may have fewer opportunities to offer unique information and services because third party providers want to make their products and services available to computer users directly, through several computer information services, or through the Internet. As information services offer increasingly overlapping information and services, subscribers may experience difficulties discerning the differences between them.

10 In addition to noticing similarities regarding information content and types of services, today's computer information service subscribers may notice similarities in the user interfaces (or means by which subscribers communicate or interact with the information service.) Online information services today generally take advantage of graphical user interface technology in designing and implementing a user interface that allows subscribers to access the service. In  
15 general, graphical user interfaces allow computer users to perform tasks using windows that serve as workspace within a program.

The computer screen on which windows appear and disappear is often referred to as a "desktop." Windows that appear on the desktop are typically rectangular work areas containing a number of components or screen objects with which a user may interact. The  
20 components or screen objects are pictorial representations of recognizable items and are often referred to generally as icons. For example, a window may contain icons that look like buttons the user may "push." Typically, a screen cursor or pointer, usually displayed as a small arrow, allows the computer user to point at and select individual items appearing on the screen. The screen cursor or pointer moves around the screen in response to a pointing device

(e.g., a mouse, trackball, finger) operated by the user. So that a user may select or "click on" an item appearing on the screen, pointing devices usually include a switch (e.g., a mouse button) that the user operates or "clicks" to notify the computer that a choice has been made. Some windows may contain items that must be "double-clicked" with two clicks of the mouse button to be selected. Other items may require the use of either a "right" mouse button or a "left" mouse button to make a selection.

Windows may also contain menus with grouped or categorized commands and options that the user may "select." Menu items are typically displayed in a menu bar that appears at the top of a window or workspace. When a menu is selected, typically, another menu called a "pull-down" menu appears. The second or submenu may include a number of additional items such as a specific action or another menu.

A graphical user interface enables a subscriber to interact with a computer information service by operating a computer mouse or trackball to select pictorial representations of information items or tasks. For example, a subscriber may select a "Shopping" button to enter an online shopping mall or a "Home/Leisure" button to locate information about a favorite hobby. Alternatively, a subscriber may select a menu item or series of items to accomplish a specific task. For example, a subscriber may select the menu item "Read mail" in order to read any new email messages. In general, combinations of buttons and menu items are presented to subscribers to assist them in "navigating" to a particular area or destination. Subscribers navigate to an area of the information service in which they may accomplish a specific goal such as locating needed information or performing a desired task.

Although the advent of the graphical user interface has made computers easier to use, subscribers often experience difficulties navigating computer information services because the user interface for communicating with the service is not intuitive. Subscribers who do not

have specific goals in mind may find casually browsing the service to be difficult. For example, icons with similar visual characteristics may be used to represent broad categories of information (for example, Entertainment and Home/Leisure) or activities (for example, Shopping and Internet.) Even if subscribers find an item they would like to select, they may  
5 have trouble making the selection. Subscribers must remember whether they should single-click, double-click, right-button click, or left-button click to make the selection. The variety of operations for making selections may confuse users more than it helps them.

In some instances, users may be required to select menu items to perform specific tasks or activities (for example, Create Mail.) In fact, many services today use a "menu tree" for  
10 organizing information. Each item on a menu may be viewed as a branch to another menu so that conceptually, the system of menus and branches looks like a tree. As information and services are added, the tree becomes more complex. The use of menus to accomplish tasks requires that subscribers know prior to selecting the item where it is located. If subscribers do not know the location of a particular item, they are forced to search through all the menus,  
15 possibly at a number of levels, in order to locate the desired item.

Navigating an information service may be difficult even for subscribers who know what they want to do. Subscribers who know what they want to do need to locate the areas where they may accomplish their goals. The areas may be difficult to find because they require subscribers to enter long series of mouse clicks and menu selections. Subscribers may become  
20 lost when they make a wrong selection. A large number of clicks and menu selections may be necessary even if subscribers make correct choices along the way. Furthermore, in windowed environments, multiple selections often result in layered windows on subscribers' desktops making it even more confusing for them to determine whether they are in a location in which a specific task may be accomplished.

The lack of consistency and uniformity in the use of visually similar icons as well as in the use of menu items for some actions may leave subscribers confused, albeit unconsciously. Subscribers may be required to use a lengthy combination of button and menu selections in order to perform a particular task. Furthermore, different combinations of selections may be required to accomplish goals that, from the perspective of subscribers, are similar. Consequently, for many subscribers, the complexity in navigating computer information services derives not from the vastness of available information and services, but from the complexity of the environment in which tasks are completed.

Subscribers to computer information services today have a need for an improved method of navigation. The present invention overcomes the problems and disadvantages of current navigational methods by introducing consistency and uniformity in the computer information service user interface. The navigational method of the present invention is based on a model of computer/user interaction in which users are graphically prompted for a topic of interest, a subtopic of interest, and an associated action. Subscribers may make their selections in one of several orders. Once the three selections have been made, the information system assists subscribers by presenting customized content areas in which their specific goals may be accomplished. The advantages of the present invention will be apparent from the following detailed description and accompanying claims.

#### **BRIEF DESCRIPTION OF THE DRAWINGS**

Figure 1 is a flow diagram of the navigational paths subscribers may take to reach a customized content area;

Figure 2 is a screen shot of a preferred embodiment for a Home screen in accordance with the present invention;



Figure 3 is a screen shot of a preferred embodiment for a topics/actions screen in accordance with the present invention;

Figure 4 is a screen shot of a preferred embodiment for a subtopic screen in accordance with the present invention;

5 Figure 5 is a screen shot of a preferred embodiment for an action screen in accordance with the present invention;

Figure 6 is a screen shot of a preferred embodiment for a topic screen in accordance with the present invention;

10 Figure 7 is a screen shot of a preferred embodiment for a topic/subtopic screen in accordance with the present invention;

Figure 8 is a diagram illustrating the concept of the topic/subtopic/action paradigm of the present invention;

Figure 9 is a screen shot of a preferred embodiment for an Easy Navigator screen tailored to children; and

15 Figure 10 is a block diagram of a computer system in which the present invention is embodied.

### DETAIL DESCRIPTION OF PREFERRED EMBODIMENT(S)

The present invention, CompuServe's Easy Navigator User Interface (hereinafter referred to as Easy Navigator), provides a method of navigation that allows subscribers to a computer information service to communicate their needs quickly and efficiently so the information service may assist them in accomplishing their goals. Using the present invention, subscribers are, preferably, never more than three (3) selections—based on a topic, subtopic, and action—away from a customized content area in which their specific goals may be accomplished. Preferably, the three selections may be made in one of several ways. With the exception of being tailored according to subscribers' first three selections, all customized content areas have similar appearances and behavioral characteristics. Once at the customized content area, subscribers may need to perform additional tasks or provide additional information, but, preferably, the paths subscribers may take to reach the customized content area are the same for all combinations of topic, subtopic, and action. Furthermore, depending on the task, subscribers may, after only one or two selections, reach areas in which their goals may be accomplished.

Preferably, all controls in the Easy Navigator user interface are push buttons. Some buttons are graphic-filled objects and some are simple round, rounded square, or rectangular buttons labeled with text. Navigation using Easy Navigator is accomplished, preferably, using single clicks of a mouse button. Furthermore, right button, left button, and multiple clicks may all be used to make a single selection so subscribers are never left wondering whether a single click, a double click, a right button click, or a left button click is needed.

Figure 1 is a top-level flow diagram illustrating the navigational concepts of Easy Navigator. As shown in Figure 1, subscribers using Easy Navigator to navigate an information service, preferably, start at the Easy Navigator Home screen. The Home screen welcomes

subscribers at startup. It also functions as a departure point and "home base" for navigating the information service. The Home screen provides immediate access to the major functional areas. From the Home screen, subscribers may:

- access mail to read personal communications (Mail) 10;
- access the news center to read news stories related to specified topics (News) 12;
- traverse to bookmarked locations (Places) 14;
- access the main menu to locate a customized content area (Main Menu) 16;
- access a filing cabinet containing stored information (Storage) 18;
- access modem and session settings (Settings) 20; or
- exit Easy Navigator and return to the desktop (Quit) 22.

Referring now to Figure 2, a representation of a preferred embodiment for the Easy Navigator Home screen is shown 60. The Home screen 60 presents options for the tasks that subscribers are most likely to want to perform as described in Figure 1—learning about new features of the service (What's News) 62, reading email (My Mail) 64, reading news (My News) 66, traversing to bookmarked locations (My Places) 68, or traversing to the topics/actions screen (Easy Navigator Main Menu) 70 to locate a customized content area. In addition, subscribers are given options to access a filing cabinet (Storage) 72, to access modem/user session settings (Settings) 74, or to exit Easy Navigator to return to the desktop (Quit) 76. Preferably, on all subsequent screens, subscribers are given the option of returning to this Home screen by selecting a "Home" button.

Navigation to a customized content area of the information service begins with selection of the Main Menu option 70 of the Easy Navigator Home screen. Referring again to Figure 1, selection of the Main Menu option 24, preferably, results in the display of a screen

comprised of topics and actions (Easy Navigator Main Menu) 26. At the topics/actions screen (Easy Navigator Main Menu) 26, subscribers have the option of selecting a topic 28 or an action 40—the first choice in the series of three or fewer choices needed to navigate to a customized content area.

5 Referring now to Figure 3, a preferred embodiment of the Easy Navigator Main Menu (topics/actions screen) is shown. Subscribers may choose one of the four (4) topics as represented by the Category Cards 84 Entertainment 98, Living 100, Sports 102, Money 104 or one of six (6) actions as represented by the Tokens 82 Chat 86, Reference 88, Messaging 90, News 96, Internet 94, or Shopping 92. As shown in Figure 3, topic options (Category  
10 Cards) 84 are clearly identifiable and are given display characteristics that distinguish them from the action options (Tokens) 82. Action options (Tokens) 82 are represented as round buttons at the bottom of the Main Menu screen while topics (Category Cards) 84 are large rectangular areas. In addition, actions (Tokens) 82 appear in one row while topics (Category Cards) 84 are organized in a separate row. Finally, each action option (Token) 82 is assigned  
15 a distinctive color. The visual cues used in Easy Navigator screens help subscribers to quickly differentiate between topics and actions so that they are more likely to make meaningful choices that lead them to the desired customized content areas. Preferably, the topics/action screen (Easy Navigator Main Menu) has a System Toolbar 80 for performing specific tasks.

Referring again to Figure 1, if subscribers first choose a topic (Category Card) 28 from  
20 the topics/actions screen (Easy Navigator Main Menu) 26, they traverse to the subtopic screen (Easy Navigator Category with Communities) 30. The subtopic screen 30 is comprised of additional topics relating to the selected topic (Category Card) 28. Preferably, the number of subtopics from which subscribers may choose is ten (10) or fewer.

Referring now to Figure 4, a preferred embodiment of a subtopic screen (Category with Communities) 120 for the topic (Category Card) "money" is shown. Representative subtopics (Communities) for the money topic (Category Card) include "real estate" and "computers" 122. Following selection of a subtopic (Community within a Category), only  
5 selection of an action is needed to traverse to a customized content area.

Referring again to Figure 1, after choosing a subtopic (Community within a Category) 32 (second choice), subscribers preferably traverse to an action screen (Easy Navigator Community Area) 34 that contains the six actions from the topics/actions screen (Easy Navigator Main Menu) 26. Because at this point, subscribers have specified a topic (first  
10 choice) 28 and a subtopic (second choice) 32, only an action (third choice) 36 is needed to traverse to a customized content area (Easy Navigator Community Specific Center) 38 in which topic/subtopic related tasks may be completed.

Referring now to Figure 5, a preferred embodiment of an action screen (Easy Navigator Community Area) 34 for a particular topic (money) and subtopic (budgeting) 130  
15 combination is shown. From this screen, subscribers may select one of a number of actions (Tokens - Chat, Reference, Messaging, News, Internet, or Shopping) 132 relating to the topic (Category Card) and subtopic (Community within a Category.) Choice of an action 132 from the action screen (Easy Navigator Community Area) 130 takes subscribers to a customized content area (Easy Navigator Community Specific Center) in which specific tasks may be  
20 accomplished. The customized content area may be viewed as a "Community Specific Center" because the tasks that may be performed relate to the specified topic (Category Card), subtopic (Community within a Category), and action. In addition to the six action options (Tokens) 132, subscribers may also read news relating to the community 134 or read a welcome message 136.

Referring again to Figure 1, subscribers may take another path to reach a customized content area from the topics/actions screen (Easy Navigator Main Menu) 26. Following selection of an action 40, subscribers traverse to a topic screen (Easy Navigator Center) 42. At the topic screen (Easy Navigator Center) 42, subscribers have the option of traversing 44 to a topic/subtopic screen (Easy Navigator Categories with Communities) 46 in order to specify a topic/subtopic pair (Category/Community combination) 48 or traversing 50 to an area in which a search may be performed 52 to find information of interest 54. The ability to search is, in effect, another method for specifying a topic.

Referring to Figure 6, a preferred embodiment of a topic screen (Easy Navigator Center) 150 is shown. Once at a topic screen, preferably, subscribers may traverse, by selecting the "Categories" button 154, to a topic/subtopic screen (Easy Navigator Categories with Communities) to select a topic/subtopic pair (Category/Community combination). Alternatively, they may traverse, by selecting the "Search" button 156, to an area in which a search may be performed to further locate an area relating to the specified action and search criteria. The customized content area to which subscribers traverse following a search is referred to as an Easy Navigator General Center. Figure 7 is a preferred embodiment of a topic/subtopic screen (Easy Navigator Categories with Communities) 160 displayed when subscribers specify the "Categories" option on a topic screen (Easy Navigator Center). As shown in Figure 7, subtopics 164, preferably, are arranged under topics 162 so that a single selection results in the specification of a topic/subtopic pair. For example, selection of the subtopic "Books" 166 results in the specification of the Entertainment (topic)/Books (subtopic) pair.

Referring again to Figure 1, as may be apparent, subscribers may take one of several paths to reach a customized content area 38. Subscribers may provide a topic 28, subtopic 32,

and action 36 or they may provide an action 40 and topic/subtopic pair 48 to reach an Easy Navigator Community Specific Center 38. In addition, subscribers may perform a search 52 within the context of a selected action 40 in order to traverse to an Easy Navigator General Center 54 meeting the specified criteria. Using the search method, subscribers navigate to a customized content area 54 with fewer than three selections. Although subscribers have more than one option for traversing to a customized content area 38, 54, preferably, the available paths are not so numerous that subscribers become confused as they traverse to a customized content area.

Another feature of every Easy Navigator screen (except the Home screen) is the System Toolbar. The System Toolbar provides a core set of options related to basic tasks. These tasks may be performed at any time, regardless of subscribers' locations. Referring again to Figure 3, the options for the System Toolbar 80 include: return to the Home screen (Home) 106, access the mail center (Mail) 108, access online help (Help) 110, add the present site to the places list (Add or Bookmark) 112, and quit Easy Navigator (Quit) 114. The System Toolbar allows subscribers to feel safe exploring the information system because they know they may return to the Home screen, get help, or quit Easy Navigator at any time. In addition to the convenience it provides to subscribers, the System Toolbar 80 reduces the likelihood that subscribers will become "lost" when navigating the information service because subscribers may return to the home base at any time.

As subscribers navigate the information service, Easy Navigator maintains appearance and behavior distinctions between topic, subtopic, and action screens. At the same time, Easy Navigator gives objects (buttons) that subscribers expect to appear and behave similarly the same set of familiar features so that subscribers can recognize them easily. For example, tokens may be color-coded so that subscribers recognize quickly what actions may be

performed at a particular location based on the colors of the buttons. In one embodiment, subscribers may learn quickly that the "Reference" token is always orange. Screens appear one at a time to reduce the confusion that may result when subscribers are presented with multiple, layered windows. The simplicity and consistency in screens and methods of interaction allows subscribers to navigate the information service easily and quickly.

In the preferred embodiment in which subscribers are given four topics, ten subtopics, and six actions from which to choose, subscribers are able to reach one of 240 customized content areas in three selections. Conceptually, the combination of topics, subtopics, and actions may be viewed as a three dimensional grid as shown in Figure 8. The topics (170) may be represented by the rows T1, T2, T3, and T4 (172). The subtopics (174) may be represented by the levels, S1, S2, ... S10 (176). Finally, the actions 178 may be represented by the columns A1, A2, A3, A4, A5, and A6 (180). Each point in the grid thus represents the intersection of a topic, a subtopic, and an action—in other words, a customized content area. For example, if topic T2 is "Money," subtopic S2 is "Budgeting," and action A4 is "Chat," then the intersection of the selections—T2, S2, A4 (182)—represents the customized content area relating to chat sessions about budgeting. Although the grid is transparent to subscribers, navigation through the information service actually involves movement between points on the grid where each point represents the intersection of a topic, a subtopic, and an action. The various combinations of topic, subtopic, and action may be viewed as the paths that subscribers traverse to reach customized content areas. The grid allows subscribers to maintain a context for what they are doing even though they never know a grid is in place.

The ability to traverse in three selections to a customized content area in which topic related tasks may be performed is unique to the present invention. Although the 240 areas may vary significantly from one another in relation to content, the paths that subscribers



traverse to reach the content areas are very similar. Subsequent options presented to subscribers are based on previous selections so that subscribers are given visible and clear indications of what can and cannot be done at any given time. The tailoring of options based on previous selections also reduces the likelihood of subscriber errors in navigating the information service. Finally, the customized content areas have similar display and behavioral characteristics (e.g., sizing, positioning, color-coding of buttons) so that subscribers may perform similar types of tasks within each customized content area. Consequently, Easy Navigator is appropriate for subscribers who know exactly what they want to do and subscribers who have no idea what they want to do. Easy Navigator quickly determines what subscribers—whether experienced or novice—want to do and the information service responds by locating a content area in which subscribers may complete the desired tasks.

Novice subscribers who benefit from the approach of Easy Navigator may include children. As shown in Figure 9, Easy Navigator screens may be tailored to children. The conceptual model employed to develop screens for adults—the grid—may also be used to develop screens for children. Using Easy Navigator, only three selections are needed to traverse to a customized content area so that both children and adults are able to navigate an information system easily and effectively.

Figure 10 is a computer system block diagram that illustrates use of the present invention to communicate with an information service. The information service may be viewed as a wide area network 104—with a communication link to the Internet 110—consisting of node computers 106 that manage network traffic and host computers 108 with which subscribers connect in order to take advantage of the services offered. Preferably, the present invention is embodied in an application program running on a subscriber's computer 100. The subscriber's computer 100 establishes a connection 102 to a host computer 108

through a network node computer 106 using, for example, a modem or a cable. The network node 106 routes communications between the subscriber's computer and the information service host computer that provides the needed functionality. Host computers assist subscribers in completing tasks such as retrieving information and sending messages to other subscribers.

Preferably, communications between the subscriber's computer and the host computer are based on application-level protocols. Application-specific protocols carry out data transactions between the subscriber's computer and a host computer. Information between the subscriber's computer and host computer is exchanged in binary transaction packets known as protocol data unit packets. The packets describe, in a succinct and structured format, both data and information about how it may be used by the application. Based on the subscriber's responses when using Easy Navigator, the subscriber's computer creates request packets formatted according to the requirements of the protocol and transmits them to the host computer. The host computer then transmits structured return packets that Easy Navigator understands. The primary benefit of using a transaction-oriented application-level protocol to communicate with the information service is that the user interface embodied in the application program on the subscriber's computer may change and evolve with minimal impact on the host computer application. Many communication protocols such as those currently in use on the Internet may work as well to accomplish the objectives of the present invention.

The present invention has been described in detail with reference to a single, preferred embodiment. Different numbers of topics, subtopics, and actions may be used in an alternative embodiment and still fall within the scope of the present invention. In addition, different categories for topics and subtopics as well as different actions may be used and still fall within

the scope of the present invention. Finally, topics, subtopics, and actions may be merged in a presentation so that subscribers are required to make only a single selection to reach customized content areas.

The challenge of continued expansion and growth for computer information services  
5 rests in the ability of subscribers to accomplish specific goals such as locating needed  
information and performing desired tasks. As computer information services evolve, the value  
of information and related services depends increasingly on the quality of the subscriber  
interaction with the service as well as the ability of the service to deliver utility to subscribers.  
Subscribers need the ability to locate and retrieve easily items that are of value and use to  
10 them. The present invention improves the quality of subscriber interaction by providing a  
method of navigation that allows subscribers to quickly communicate their needs so the  
information service may assist them accomplishing their goals.

**WHAT IS CLAIMED IS:**

1. A method for a subscriber to navigate a computer information service, comprising the steps of:
  - providing a computer application program for prompting said subscriber and
  - 5 determining said subscriber's responses;
  - prompting said subscriber to select one of a plurality of topics;
  - determining said subscriber's response to said topic prompt;
  - prompting said subscriber to select one of a plurality of subtopics;
  - determining said subscriber's response to said subtopic prompt;
  - 10 prompting said subscriber to select one of a plurality of actions;
  - determining said subscriber's response to said action prompt;
  - transmitting information service content based on said subscriber's responses to said topic prompt, said subtopic prompt, and said action prompt to said computer application program, said transmission performed by a host computer; and
  - 15 presenting said information service content to said subscriber.
2. The method of Claim 1, wherein prompting said subscriber of an action occurs before prompting said subscriber for a topic.
3. The method of Claim 1, wherein prompting said subscriber for a topic occurs before prompting said subscriber for an action.
- 20 4. The method of Claim 1, wherein said subscriber is prompted to select a topic and subtopic pair.
5. The method of Claim 1, wherein said subscriber is prompted for topic, subtopic, and action responses using icons that represent said topics, said subtopics, and said actions.
6. The method of Claim 1, wherein display characteristics of said topic icons or said
- 25 subtopic icons are distinguishable from said action icons.

7. The method of Claim 1, wherein said subscriber may select one of four topics, one of ten subtopics, and one of six actions.
8. The method of Claim 1, wherein said subscriber is prompted for additional information based on said subscriber's previous response.
- 5 9. The method of Claim 5, wherein said icons may be selected using a single operation.
10. An online information service navigation system, comprising:
  - a graphical user interface on a subscriber's computer for prompting a subscriber for a topic response, a subtopic response, and an action response;
  - a connection between said subscriber's computer and a host computer that is  
10 part of said online information service for transmitting and receiving packets;
  - at least one request packet for communicating said subscriber's topic response, subtopic response, and action response to said host computer, said request packet assembled and transmitted to said host computer by said subscriber's computer; and
  - at least one return packet assembled by said host computer including content  
15 based on said at least one request packet, said return packet assembled and transmitted to said subscriber's computer by said host computer.
11. The system of Claim 10, wherein said topic response, said subtopic response, and said action response are represented by icons.
12. The system of Claim 11, wherein said icons may be selected using a single operation.
- 20 13. The system of Claim 11, wherein said topic and said subtopic icons are distinguishable from said action icons.

14. A computer information service navigation system, comprising:

a plurality of content areas, each of said content areas related to a topic, a subtopic, and an action;

a selected topic, subtopic, and action;

a content area based on said selected topic, subtopic, and action; and

a display for presenting said content area to a computer user.

15. The system of Claim 14, wherein one of four topics, one of ten subtopics, and one of six actions may be selected.

16. The system of Claim 14, wherein said topic, said subtopic, and said action are represented by icons.

17. The system of Claim 16, wherein said icons may be selected using a single operation.

18. The system of Claim 14, wherein said content areas have similar appearances and behavioral characteristics.

19. A system for navigating a computer information service, comprising:

a plurality of content areas;

a plurality of paths of equal length for traversing to said content areas;

a plurality of icons for traversing one of said plurality of paths;

means for selecting icons associated with one of said plurality of paths; and

a display for presenting one of said plurality of content areas based on said icon selections.

20. The system of Claim 19, wherein said plurality of content areas have similar appearance and behavioral characteristics.

21. The system of Claim 19, wherein said icons represent topics, subtopics, and actions.

22. The system of Claim 19, wherein said icons may be selected in one of several orders.

23. The system of Claim 19, wherein said paths are of length three or less.

24. A product for enabling users to access sites on a computer network, said product comprising:

5 a first entry selection point, including a navigational grid containing a plurality of rows and columns, wherein said rows define a first set of entry options and said columns define a second set of entry options;


means for selecting one of said set of first entry options or one of said set of second entry options on said first entry selection point; and

10 means for selecting one of said set of first entry options if one of said set of second entry options has been previously selected, or for selecting one of said set of second entry options if one of said set of first entry options has been previously selected on said first entry selection point.

25. The product of Claim 24, wherein said navigational grid is transparent to said user.

15 26. The product of Claim 24, further comprising a second selection point, said second selection point including a plurality of third options, said third options having a dependent relationship to one of said first or second entry options.

27. The product of Claim 24, wherein said first set of entry options and said second set of entry options are presented to said user in a single presentation format.

*Fig. 1*






Fig. 2




Fig. 3




Fig. 4




Fig. 5






Fig. 6




150

Fig. 7



*Fig. 8*



*Fig. 9*




Fig. 10



## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US97/01082

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(6) : G06F 7/10

US CL : 395/827, 601

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 395/827, 600, 601

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X, P	US 5,544,354 A (MAY ET AL) 06 August 1996, see abstract; column 5, lines 25-57; column 7, line 26 - column 8, line 3; column 8, lines 4-29; column 9, lines 29-49; column 10, lines 8-44; column 11, lines 3-67; column 20, lines 11-45; column 23, line 39 - column 24, line 21; column 25, lines 12-33.	1-27
Y	US 5,297,253 A (MEISEL) 22 March 1994, see abstract; column 4, line 5 - column 6, line 40.	1-27
Y	US 5,479,601 A (MATHENY ET AL) 26 December 1995, see abstract; fig. 13; column 1, line 35 - column 2, line 15.	1-27

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

## \* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\*

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\*

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\*

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

\*Z\*

document member of the same patent family

Date of the actual completion of the international search

14 APRIL 1997

Date of mailing of the international search report

14 MAY 1997

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

THOMAS LEE

Telephone No. (703) 305-9717

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**